

UniFit™

Unified Conical Connection



Table of Contents

| Meet UniFit - Unified Connection | Page No. | TMA™ - Multi Unit | Page No. |
|--|----------|--|----------|
| About | 4-7 | Abutments Impression Transfers | |
| Implants | 8 | Scan Bodies Drivers | 20-21 |
| Drilling Sequence | 9 | | |
| Cover Screws & Healing Abutments | 10 | | |
| Impression | | Overdenture Restoration | |
| Open / Close Tray Transfers | 11 | Attachments Driver Ball Caps | 22 |
| Scan Bodies | 11 | | |
| Analogs | 11 | Screws | |
| | | Abutment TMA Transfers | 23 |
| Cement-Retained Abutments | | Surgical Kits | |
| Abutments | 12-13 | Review | 24-25 |
| Casting Abutments | | Surgical Kit-Premium | 26 |
| Abutments | 14 | Surgical Kit-Advanced | 27 |
| Single TMA™ | | Drills & Tools | |
| Abutments Impression Transfers | | Tri-Step \ Twist Step Drills Tools | 28-30 |
| Scan Bodies Drivers | 15-16 | Torque Drivers Handpiece Adapters | 30-31 |
| | | Hand Drivers Retrieval Tool | 32 |
| CAD CAM | | Guided Surgery | |
| Ti Base C-Type Ti Base Abutments | 17-19 | Implant Drill GS Kit | 34-35 |
| | | Tools Kits GS Kit | 36-37 |
| | | Additional Products | 38 |



Meet UniFit™:
Your Unified Connection

Introducing UniFit™, your Unified Connection to hassle-free implants.

With 30 years of implantology knowledge and experience, we have taken the best of our platforms and combined them into our new UniFit™ implant.

Surgical and restoration procedures can be complicated, which is why we are focused on making them simple. With UniFit, one prosthetic connection fits all.

This means that ALL prosthetics and attachments fit ALL size and diameter UniFit implants

This means:

- No need for spares
- No multiple sizes for handpieces
- No extra storage for all the extra prosthetics!

Our innovative implant design features a friction 7° conical connection with a six-position star shape index that allows for one unified prosthetic connection to fit all implant diameters. This simplifies surgical and restoration procedures, making the process faster and more efficient.

UniFit™ ensures a solid fixture of the abutment, enhancing the implant-abutment seal and minimizing micromovements. Our unique design also enables simple yet flexible implant and abutment alignment, allowing for self-guiding insertion and clear-cut tactile feedback.

The external geometry and surface of UniFit™ are designed for immediate function and loading, providing optimal stability in all bone types. Every feature of UniFit™ is designed to enhance the success of the procedure and deliver better results, ensuring a better experience for both doctors and patients.

In short, the concept behind UniFit™ is simple, but the results are immediate. Say goodbye to complicated dental implant procedures and hello to a hassle-free experience with UniFit™.

NOTE:

- All measurements are in mm.
- Illustrations are not to scale
- Not all products may have been licensed in accordance with Canadian law



Built-In Platform
Switching

Back
tapered collar

Minimally
invasive surgery


Micro Threads:
Engineered to enhance bone
regeneration, prevent bone
loss & increase bone implant
contact

OsseoFix™ surface

Bone - condensing property
Self - drilling

Rounded apex

Seven degree
unified connical connection
Six position star index




UniFit is a variable-thread tapered implant with a spiral tap that ensures immediate stability through bone condensation during implant placement.

- Variable threads and a tapered design allows for accurate implant placement, for self-tapping, and for improved aesthetics.
- Unique design also ensures better load distribution, allowing for immediate function on all bone types.

UniFit features Adin's OsseoFix™, a unique Calcium Phosphate blast surface treatment that enhances the implant's integration with the bone.

Experience immediate stability, improved accuracy, and better load distribution with UniFit Spiral Implant featuring Adin's OsseoFix™.



⚠ Implant - Abutment index alignment is indicated by implant driver grooves.

Implants

Recommended insertion torque up to 50 Ncm



| | Ø | L | D1 | D3 | Catalog |
|--|-----|------|-----|-----|-----------|
| | 3.5 | 8.0 | 2.9 | 2.7 | ISPUF0835 |
| | | 10.0 | 2.9 | 2.6 | ISPUF1035 |
| | | 11.5 | 2.9 | 2.6 | ISPUF1135 |
| | | 13.0 | 2.9 | 2.6 | ISPUF1335 |
| | | 16.0 | 2.9 | 2.5 | ISPUF1635 |
| | | 18.0 | 2.9 | 2.5 | ISPUF1835 |

| | Ø | L | D1 | D3 | Catalog |
|--|------|------|-----|-----|-----------|
| | 3.75 | 8.0 | 2.9 | 3.2 | ISPUF0838 |
| | | 10.0 | 2.9 | 3.1 | ISPUF1038 |
| | | 11.5 | 2.9 | 3.1 | ISPUF1138 |
| | | 13.0 | 2.9 | 3.1 | ISPUF1338 |
| | | 16.0 | 2.9 | 3.0 | ISPUF1638 |
| | | 18.0 | 2.9 | 3.0 | ISPUF1838 |























| | Ø | L | D1 | D3 | Catalog |
|------|-----|------|-----------|-----|-----------|
| | 4.3 | 6.0 | 2.9 | 3.7 | ISPUF0643 |
| | | 8.0 | 2.9 | 3.4 | ISPUF0843 |
| | | 10.0 | 2.9 | 3.3 | ISPUF1043 |
| | | 11.5 | 2.9 | 3.2 | ISPUF1143 |
| | | 13.0 | 2.9 | 3.0 | ISPUF1343 |
| | | 16.0 | 2.9 | 2.8 | ISPUF1643 |
| 18.0 | 2.9 | 2.7 | ISPUF1843 | | |

| | Ø | L | D1 | D3 | Catalog |
|------|-----|------|-----------|-----|-----------|
| | 5.0 | 6.0 | 2.9 | 4.5 | ISPUF0649 |
| | | 8.0 | 2.9 | 4.1 | ISPUF0849 |
| | | 10.0 | 2.9 | 4.1 | ISPUF1049 |
| | | 11.5 | 2.9 | 4.0 | ISPUF1149 |
| | | 13.0 | 2.9 | 3.8 | ISPUF1349 |
| | | 16.0 | 2.9 | 3.6 | ISPUF1649 |
| 18.0 | 2.9 | 3.4 | ISPUF1849 | | |

| | Ø | L | D1 | D3 | Catalog |
|--|-----|------|-----|-----|-----------|
| | 6.0 | 6.0 | 2.9 | 5.5 | ISPUF0660 |
| | | 8.0 | 2.9 | 5.2 | ISPUF0860 |
| | | 10.0 | 2.9 | 5.2 | ISPUF1060 |
| | | 11.5 | 2.9 | 5.1 | ISPUF1160 |
| | | 13.0 | 2.9 | 5.1 | ISPUF1360 |

Radiographic Template UniFit | ASD0617

Drilling Sequence

| Drilling speed** (rpm) | 800-1200 | | 800-1200 | | 800-1200 | | | 800-1200 | | |
|--|--|--|---|---|---|---|---|---|---|---|
| Implant Diameter | Ø3.5/3.75 | | Ø4.3 | | Ø5.0 | | | Ø6.0 | | |
|  <p>Hard Bone</p> <p>D1, D2</p> |  *Tri-step |  Ø3.5/3.75 |  Ø3.6 |  Ø4.3 |  Ø4.2 |  Ø4.6 |  Ø5.0 |  Ø5.2 |  Ø5.6 |  Ø6.0 |
|  <p>Soft Bone</p> <p>D3, D4</p> |  *Tri-step |  Ø3.5/3.75 |  Ø3.6 |  Ø4.3 |  Ø4.2 |  Ø4.6 |  Ø5.0 |  Ø5.2 |  Ø5.6 |  Ø6.0 |



* For initial drilling, you may use Ø2, Ø2.8 and Ø3.2 drills in sequence instead of the Tri-step drill.

** Drilling should be performed at low speeds (800rpm-1200rpm) in accordance with bone quality at the specific site.


*For initial drilling, you may use a Tri-step drill instead of Ø2, Ø2.8 and Ø3.2 drills in sequence.

Note: (x.xx) Drill to the depth of the cortex only.


⚠ CAUTION: The drill preparation is up to 1mm longer than the implant. * The drill apical step is 1.8mmD.


Cover Screw & Healing Abutments


Recommended Torque 15(Ncm)





| | | L | Ø | Catalog |
|---|-------------|-----|-----|---------|
|  | Cover Screw | 5.2 | 2.9 | UF0073 |


| | | L | GH | Ø | Catalog |
|---|--------------------------------------|------|-----|-----|---------|
|  | UniFit Slim Conical Healing Abutment | 6.8 | 2.0 | 3.5 | UF0095 |
| | | 7.8 | 3.0 | 3.5 | UF0096 |
| | | 8.8 | 4.0 | 3.5 | UF0097 |
| | | 9.8 | 5.0 | 3.5 | UF0098 |
| | | 10.8 | 6.0 | 3.5 | UF0099 |

| | | L | GH | Ø | Catalog |
|---|------------------------------|------|-----|-----|---------|
|  | UniFit Slim Healing Abutment | 6.8 | 2.0 | 3.5 | UF0046 |
| | | 7.8 | 3.0 | 3.5 | UF0047 |
| | | 8.8 | 4.0 | 3.5 | UF0048 |
| | | 9.8 | 5.0 | 3.5 | UF0049 |
| | | 10.8 | 6.0 | 3.5 | UF0050 |

| | | L | GH | Ø | Catalog |
|---|---|------|-----|-----|---------|
|  | UniFit Regular Conical Healing Abutment | 6.8 | 2.0 | 4.5 | UF0090 |
| | | 7.8 | 3.0 | 4.5 | UF0091 |
| | | 8.8 | 4.0 | 4.5 | UF0092 |
| | | 9.8 | 5.0 | 4.5 | UF0093 |
| | | 10.8 | 6.0 | 4.5 | UF0094 |

| | | L | GH | Ø | Catalog |
|---|---------------------------------|------|-----|-----|---------|
|  | UniFit Regular Healing Abutment | 6.8 | 2.0 | 4.5 | UF0022 |
| | | 7.8 | 3.0 | 4.5 | UF0023 |
| | | 8.8 | 4.0 | 4.5 | UF0024 |
| | | 9.8 | 5.0 | 4.5 | UF0025 |
| | | 10.8 | 6.0 | 4.5 | UF0026 |

| | | L | GH | Ø | Catalog |
|---|--------------------------------------|------|-----|-----|---------|
|  | UniFit Wide Conical Healing Abutment | 6.8 | 2.0 | 5.5 | UF0095W |
| | | 7.8 | 3.0 | 5.5 | UF0096W |
| | | 8.8 | 4.0 | 5.5 | UF0097W |
| | | 9.8 | 5.0 | 5.5 | UF0098W |
| | | 10.8 | 6.0 | 5.5 | UF0099W |

| | | L | GH | Ø | Catalog |
|---|------------------------------|------|-----|-----|---------|
|  | UniFit Wide Healing Abutment | 6.8 | 2.0 | 5.5 | UF0046W |
| | | 7.8 | 3.0 | 5.5 | UF0047W |
| | | 8.8 | 4.0 | 5.5 | UF0048W |
| | | 9.8 | 5.0 | 5.5 | UF0049W |
| | | 10.8 | 6.0 | 5.5 | UF0050W |

Impression


Our components for taking impressions for all restoration types can be utilized for digital or conventional protocols, either implant-level, or abutment-level procedures.


Our broad range of solutions and flexible designs enable easy and accurate restorative planning, whether you're dealing with a single tooth, multiple teeth, bridge, or full mouth rehabilitation.

Transfers | Recommended Torque 15(Ncm)


| | | L | D1 | Catalog | | | L | D1 | Catalog |
|---|--|------|-----|---------|---|---|------|-----|---------|
|  | UniFit Open Tray Transfer 4.4mmDx10mmL | 14.7 | 5.0 | UF5510 |  | UniFit Slim Close Tray Transfer 3.4mmDx9mmL | 11.7 | 3.4 | UF5109 |
| | UniFit Open Tray Transfer 4.4mmDx14mmL | 18.7 | 5.0 | UF5514 | | UniFit Slim Close Tray Transfer 3.4mmDx13mmL | 15.7 | 3.4 | UF5113 |
|  | UniFit Slim Open Tray Transfer 3.4mmDx10mmL | 14.7 | 4.8 | UF5610 |  | UniFit Close Tray Transfer 4.4mmDx9mmL | 11.7 | 4.4 | UF5209 |
| | UniFit Slim Open Tray Transfer 3.4mmDx14mmL | 18.7 | 4.8 | UF5614 | | UniFit Close Tray Transfer 4.4mmDx13mmL | 15.7 | 4.4 | UF5213 |
|  | UniFit Open Tray Transfer Wide 5.4mmDx10mmL | 14.7 | 6 | UF5510W |  | UniFit Close Tray Transfer Wide 5.4mmDx9mmL | 11.7 | 5.4 | UF5209W |
| | UniFit Open Tray Transfer Wide 5.4mmDx14mmL | 18.7 | 6 | UF5514W | | UniFit Close Tray Transfer Wide 5.4mmDx13mmL | 15.7 | 5.4 | UF5213W |


Scan Bodies


| | | H | Catalog |
|---|------------------|---|---------|
|  | UniFit Scan Body | 7 | UF0088 |

| | | H | Catalog |
|--|------------------|----|---------|
|  | UniFit Scan Body | 10 | UF0089 |

Digital Analogs


| | | L | D1 | Catalog |
|---|-----------------------------|------|------|---------|
|  | UniFit Digital Model Analog | 10.0 | 3.55 | UF1000 |

| | | L | D1 | Catalog |
|---|-----------------------|------|-----|---------|
|  | UniFit Implant Analog | 12.6 | 3.6 | UF0007 |

| | | Catalog |
|---|-----------------|---------|
|  | Retaining Screw | RS1002 |

Cement Retained Abutments

Recommended Torque 35(Ncm)




| | | L | D1 | D2 | H | GH | RH | Catalog |
|---|--|------|-----|-----|------|-----|-----|---------|
|  | UniFit Engaging Temporary Abutment Slim 3.5mmD | 14.2 | 3.5 | 3.4 | 11.5 | 2 | 9.5 | UF0036 |
| | UniFit Non-Engaging Temporary Abutment Slim 3.5mmD | 13.8 | 3.5 | 3.4 | 11.5 | 2 | 9.5 | UF0037 |
|  | UniFit Engaging Temporary Abutment 4.5mmD | 14.2 | 4.5 | 3.4 | 11.5 | 2 | 9.5 | UF0043 |
| | UniFit Engaging Temporary Abutment Wide 5.5mmD | 14.2 | 5.5 | 3.4 | 11.5 | 2 | 9.5 | UF0043W |
|  | UniFit Non-Engaging Temporary Abutment 4.5mmD | 13.8 | 4.5 | 3.4 | 11.5 | 2 | 9.5 | UF0044 |
| | UniFit Non-Engaging Temporary Abutment Wide 5.5mmD | 13.8 | 5.5 | 3.4 | 11.5 | 2 | 9.5 | UF0044W |
|  | UniFit Straight Abutment | 12.2 | 4.4 | 3.2 | 9.5 | 3.0 | 6.5 | UF0010 |
| | | 11.2 | 4.4 | 3.2 | 8.5 | 2.0 | 6.5 | UF0011 |
| | | 10.2 | 4.4 | 3.2 | 7.5 | 1.0 | 6.5 | UF0012 |
|  | UniFit Straight Abutment Wide | 12.2 | 5.1 | 3.2 | 9.5 | 3.0 | 6.5 | UF0010W |
| | | 11.2 | 5.1 | 3.2 | 8.5 | 2.0 | 6.5 | UF0011W |
| | | 10.2 | 5.1 | 3.2 | 7.5 | 1.0 | 6.5 | UF0012W |

| | | L | D1 | D2 | H | GH | RH | Catalog |
|---|---|------|-----|-----|------|-----|------|---------|
|  | UniFit Straight Abutment Long | 16.2 | 4.4 | 2.9 | 13.5 | 1.0 | 12.5 | UF1251 |
| | | 17.2 | 4.4 | 2.9 | 14.5 | 2.0 | 12.5 | UF1252 |
| | | 18.2 | 4.4 | 2.9 | 15.5 | 3.0 | 12.5 | UF1253 |
|  | UniFit Straight Abutment Long Wide | 16.2 | 5.1 | 2.9 | 13.5 | 1.0 | 12.5 | UF1251W |
| | | 17.2 | 5.1 | 2.9 | 14.5 | 2.0 | 12.5 | UF1252W |
| | | 18.2 | 5.1 | 2.9 | 15.5 | 3.0 | 12.5 | UF1253W |
|  | UniFit Straight Slim Abutment No End Line | 11.0 | 4.0 | 3.0 | 8.3 | 2.3 | 6.0 | UF0020 |
|  | UniFit Angled Abutment 15° | 10.2 | 4.4 | 2.3 | 7.5 | 1.0 | 6.5 | UF0013 |
| | | 11.2 | 4.4 | 2.3 | 8.5 | 2.0 | 6.5 | UF0014 |
| | | 12.2 | 4.4 | 2.3 | 9.5 | 3.0 | 6.5 | UF0015 |
|  | UniFit Angled Abutment Wide 15° | 10.2 | 5.1 | 2.3 | 7.5 | 1 | 6.5 | UF0013W |
| | | 11.2 | 5.1 | 2.3 | 8.5 | 2 | 6.5 | UF0014W |
| | | 12.2 | 5.1 | 2.3 | 9.5 | 3 | 6.5 | UF0015W |
|  | UniFit Angled Abutment 25° | 10.7 | 4.4 | 2.9 | 8.0 | 1.5 | 6.5 | UF2515 |
| | | 12.2 | 4.4 | 2.9 | 9.5 | 3.0 | 6.5 | UF2530 |
|  | UniFit Angled Abutment 35° | 10.7 | 4.4 | 2.8 | 8.0 | 1.5 | 6.5 | UF3515 |
| | | 12.2 | 4.4 | 2.8 | 9.5 | 3.0 | 6.5 | UF3530 |
|  | UniFit Angled Abutment Wide 25° | 10.7 | 5.1 | 3.1 | 8 | 1.5 | 6.5 | UF2515W |
| | | 12.2 | 5.1 | 3.1 | 9.5 | 3 | 6.5 | UF2530W |
|  | UniFit Angled Abutment Wide 35° | 10.7 | 5.1 | 2.8 | 8 | 1.5 | 6.5 | UF3515W |
| | | 12.2 | 5.1 | 2.8 | 9.5 | 3 | 6.5 | UF3530W |

Casting Abutments

Recommended Torque 35(Ncm)



| | | L | D1 | D2 | H | GH | RH | Catalog |
|---|---|------|-----|-----|------|-----|-----|---------|
|  | UniFit Plastic Cylinder Abutment Slim 3.5mmD | 13.8 | 3.5 | 2.9 | 11.5 | 2 | 9.5 | UF0038 |
| | UniFit Plastic Cylinder Abutment 4.5mmD | 13.8 | 4.5 | 4.5 | 11.5 | 2 | 9.5 | UF0045 |
| | UniFit Plastic Cylinder Abutment Wide 5.5mmD | 13.8 | 5.5 | 5.5 | 11.5 | 2 | 9.5 | UF0045W |
|  | UniFit Engaging Cobalt Chrome/Plastic Abutment | 13.7 | 3.9 | 3.9 | 11 | 1 | 10 | UF3094 |
|  | UniFit Engaging Titanium/Plastic Abutment | 14.2 | 4.7 | 4.7 | 11.5 | 1.5 | 10 | UF3095 |
| | UniFit Non-Engaging Titanium/Plastic Abutment | 13.8 | 4.7 | 4.7 | 11.5 | 1.5 | 10 | UF3097 |
|  | UniFit Non-Engaging Cobalt Chrome/Plastic Abutment | 13.3 | 3.9 | 3.9 | 11 | 1 | 10 | UF3100 |
|  | UniFit Engaging Cobalt Chrome/Plastic Abutment Wide | 13.7 | 4.6 | 4.6 | 11 | 1 | 10 | UF3094W |
|  | UniFit Engaging Titanium/Plastic Abutment Wide | 14.2 | 5.2 | 5.2 | 11.5 | 1.5 | 10 | UF3095W |
|  | UniFit Non-Engaging Titanium/Plastic Abutment Wide | 13.8 | 5.2 | 5.2 | 11.5 | 1.5 | 10 | UF3097W |
| | UniFit Non-Engaging Cobalt Chrome/Plastic Abutment Wide | 13.3 | 4.6 | 4.6 | 11 | 1 | 10 | UF3100W |


Single TMA™

Recommended Torque 35(Ncm)

Adin's range of screw-retained restorations has expanded to include the single TMA. This option offers the benefits of TMA abutments while still allowing for accurate and flexible restoration of a single tooth.

With Adin's STMA, you can combine the advantages of a trans-gingival approach and a screw-retained single tooth restoration, resulting in increased flexibility in terms of aesthetics, safety, and maintenance.

The Single TMA also includes a hex index that provides the necessary accuracy for positioning and retention to support a single tooth crown. You can choose from open and closed tray transfers, and scan bodies for digital impressions, and replicas are available to streamline the work process.



| | | L | H | GH | RH | Catalog |
|--|------------------------------------|------|-----|-----|-----|---------|
| | UniFit Straight Single TMA 1mm | 4.7 | 3.1 | 1.0 | 2.1 | UF0032S |
| | UniFit Straight Single TMA 2mm | 5.7 | 4.1 | 2.0 | 2.1 | UF0033S |
| | UniFit Straight Single TMA 3mm | 6.7 | 5.1 | 3.0 | 2.1 | UF0034S |
| | UniFit Straight Single TMA 4mm | 7.7 | 6.1 | 4.0 | 2.1 | UF3729S |
| | UniFit Straight Single TMA 5mm | 8.7 | 7.1 | 5.0 | 2.1 | UF3730S |
| | UniFit Angled Single TMA 17° 2.5mm | 8.2 | 5.6 | 2.5 | 2.2 | UF3734S |
| | UniFit Angled Single TMA 30° 3mm | 9.2 | 6.5 | 3.0 | 2.2 | UF3735S |
| | UniFit Angled Single TMA 17° 3.5mm | 9.3 | 6.5 | 3.5 | 2.2 | UF3737S |
| | UniFit Angled Single TMA 30° 4mm | 10.3 | 7.5 | 4.0 | 2.2 | UF3738S |


| | L | D1 | D2 | Catalog |
|--|------|-----|-----|---------|
| Single TMA Impression Coping Open Tray | 11.0 | 4.9 | 3.1 | RS5006S |


| | L | D1 | D2 | Catalog |
|---------------------------------|-----|-----|-----|---------|
| Single TMA Closed Tray Transfer | 8.0 | 4.9 | 4.1 | RS5011S |

| | L | D1 | Catalog |
|----------------------|-----|-----|---------|
| Single TMA Scan Body | 6.0 | 4.9 | TM0006S |


| | L | D1 | Catalog |
|----------------------|-----|-----|---------|
| Single TMA Scan Body | 9.0 | 4.9 | TM0009S |

| | | L | D1 | D2 | Catalog |
|---|------------------------|-----|-----|-----|---------|
|  | Single TMA Healing Cup | 5.5 | 4.9 | 3.5 | RS5005S |


| | | L | D1 | Catalog |
|---|-----------------------------|------|------|---------|
|  | Single TMA Abutment Replica | 16.8 | 3.35 | RS5004S |

| | | L | D1 | D2 | Catalog |
|---|--|------|-----|-----|---------|
|  | Single TMA Digital Model Replica Recommended torque 15(Ncm) | 12.0 | 4.9 | 3.8 | RS1001S |


STMA Screw | For Scan Body & Cementing Cone


| | | Catalog |
|---|---------------------|---------|
|  | TMA Scan Body Screw | TM0001 |

STMA Screw | Temporary Cylinder & STMA Direct Option


| | | Catalog |
|---|----------------------|---------|
|  | TMA Prosthetic Screw | RS3404 |


Snap-On


| | | L | D1 | D2 | Catalog |
|---|-----------------------------|-----|-----|-----|---------|
|  | Single TMA Snap-On Transfer | 8.0 | 4.9 | 3.2 | RS5012S |

| | | Catalog |
|---|--------------------------|---------|
|  | IRIS™, Impression coping | IR0179 |


STMA Prosthetics


| | | L | D1 | D2 | H | Catalog |
|---|-------------------------------|------|-----|-----|------|---------|
|  | Single TMA Titanium Temporary | 12.0 | 4.9 | 3.5 | 10.5 | RS4900S |

| | | L | D1 | D2 | H | Catalog |
|---|--|------|-----|-----|------|---------|
|  | Single TMA Plastic Casting Sleeve w/Prosthetic Screw | 12.0 | 4.9 | 3.3 | 10.5 | RS5001S |

| | | L | D1 | D2 | Catalog |
|---|--|-----|-----|-----|---------|
|  | Single TMA Cementing Cone, low profile | 4.9 | 5.5 | 3.2 | TM0011S |

Tool Drivers | For Angled TMA/TMA Prosthetic Screws


| | | L | Catalog |
|---|------------------------|------|---------|
|  | Star Hand Driver Short | 23.4 | RP0064 |

| | | L | Catalog |
|---|-----------------------|------|---------|
|  | Star Hand Driver Long | 28.4 | RP0004 |

CAD CAM


Adin's CAD - CAM components and digital libraries enable clinicians and technicians to design and manufacture state-of-the-art restorations supported by Adin's implants, using current digital restoration processes.

The variety of components ensures endless restorative options for treatment of single, multiple, partially, or fully edentulous cases.



Ti Base Abutments

Recommended Torque 35(Ncm)




| | | L | RH | GH | D1 | D2 | W | Catalog |
|--|----------------------------------|------|----|----|-----|-----|-----|---------|
|  | Ti Base UniFit Abutment, Engaged | 7.7 | 4 | 1 | 4.5 | 3.2 | 0.5 | TB07411 |
| | | 9.7 | 6 | 1 | 4.5 | 3.1 | 0.5 | TB07611 |
| | | 11.7 | 8 | 1 | 4.5 | 2.9 | 0.5 | TB07811 |
| | | 8.7 | 4 | 2 | 4.5 | 3.2 | 0.5 | TB07421 |
| | | 10.7 | 6 | 2 | 4.5 | 3.1 | 0.5 | TB07621 |
| | | 12.7 | 8 | 2 | 4.5 | 2.9 | 0.5 | TB07821 |
| | | 9.7 | 4 | 3 | 4.5 | 3.2 | 0.5 | TB07431 |
| | | 11.7 | 6 | 3 | 4.5 | 3.1 | 0.5 | TB07631 |
| | | 13.7 | 8 | 3 | 4.5 | 2.9 | 0.5 | TB07831 |
| | | 10.7 | 4 | 4 | 4.5 | 3.2 | 0.5 | TB07441 |
| | | 12.7 | 6 | 4 | 4.5 | 3.1 | 0.5 | TB07641 |
| | | 14.7 | 8 | 4 | 4.5 | 2.9 | 0.5 | TB07841 |

| | | L | RH | GH | D1 | D2 | W | Catalog |
|--|---------------------------------------|------|----|----|-----|-----|---|----------|
|  | Ti Base UniFit Abutment, Engaged Wide | 7.7 | 4 | 1 | 5.5 | 3.2 | 1 | TB07411W |
| | | 9.7 | 6 | 1 | 5.5 | 3.1 | 1 | TB07611W |
| | | 11.7 | 8 | 1 | 5.5 | 2.9 | 1 | TB07811W |
| | | 8.7 | 4 | 2 | 5.5 | 3.2 | 1 | TB07421W |
| | | 10.7 | 6 | 2 | 5.5 | 3.1 | 1 | TB07621W |
| | | 12.7 | 8 | 2 | 5.5 | 2.9 | 1 | TB07821W |
| | | 9.7 | 4 | 3 | 5.5 | 3.2 | 1 | TB07431W |
| | | 11.7 | 6 | 3 | 5.5 | 3.1 | 1 | TB07631W |
| | | 13.7 | 8 | 3 | 5.5 | 2.9 | 1 | TB07831W |
| | | 10.7 | 4 | 4 | 5.5 | 3.2 | 1 | TB07441W |
| | | 12.7 | 6 | 4 | 5.5 | 3.1 | 1 | TB07641W |
| | | 14.7 | 8 | 4 | 5.5 | 2.9 | 1 | TB07841W |

| | | L | RH | GH | D1 | D2 | W | Catalog |
|---|--------------------------------------|------|----|----|-----|-----|-----|---------|
|  | Ti Base UniFit Abutment, Non-Engaged | 7.0 | 4 | 1 | 4.5 | 3.2 | 0.5 | TB07412 |
| | | 9.0 | 6 | 1 | 4.5 | 3.1 | 0.5 | TB07612 |
| | | 11.0 | 8 | 1 | 4.5 | 2.9 | 0.5 | TB07812 |
| | | 8.0 | 4 | 2 | 4.5 | 3.2 | 0.5 | TB07422 |
| | | 10.0 | 6 | 2 | 4.5 | 3.1 | 0.5 | TB07622 |
| | | 12.0 | 8 | 2 | 4.5 | 2.9 | 0.5 | TB07822 |
| | | 9.0 | 4 | 3 | 4.5 | 3.2 | 0.5 | TB07432 |
| | | 11.0 | 6 | 3 | 4.5 | 3.1 | 0.5 | TB07632 |
| | | 13.0 | 8 | 3 | 4.5 | 2.9 | 0.5 | TB07832 |
| | | 10.0 | 4 | 4 | 4.5 | 3.2 | 0.5 | TB07442 |
| | | 12.0 | 6 | 4 | 4.5 | 3.1 | 0.5 | TB07642 |
| | | 14.0 | 8 | 4 | 4.5 | 2.9 | 0.5 | TB07842 |

| | | L | RH | GH | D1 | D2 | W | Catalog |
|---|---|------|----|----|-----|-----|---|----------|
|  | Ti Base UniFit Abutment, Non-Engaged Wide | 7.0 | 4 | 1 | 5.5 | 3.2 | 1 | TB07412W |
| | | 9.0 | 6 | 1 | 5.5 | 3.1 | 1 | TB07612W |
| | | 11.0 | 8 | 1 | 5.5 | 2.9 | 1 | TB07812W |
| | | 8.0 | 4 | 2 | 5.5 | 3.2 | 1 | TB07422W |
| | | 10.0 | 6 | 2 | 5.5 | 3.1 | 1 | TB07622W |
| | | 12.0 | 8 | 2 | 5.5 | 2.9 | 1 | TB07822W |
| | | 9.0 | 4 | 3 | 5.5 | 3.2 | 1 | TB07432W |
| | | 11.0 | 6 | 3 | 5.5 | 3.1 | 1 | TB07632W |
| | | 13.0 | 8 | 3 | 5.5 | 2.9 | 1 | TB07832W |
| | | 10.0 | 4 | 4 | 5.5 | 3.2 | 1 | TB07442W |
| | | 12.0 | 6 | 4 | 5.5 | 3.1 | 1 | TB07642W |
| | | 14.0 | 8 | 4 | 5.5 | 2.9 | 1 | TB07842W |


| | | L | RH | GH | D1 | D2 | W | Catalog |
|---|---|------|----|----|-----|-----|-----|---------|
|  | Ti Base UniFit Abutment, Angular | 7.7 | 4 | 1 | 4.5 | 3.2 | 0.5 | TB07413 |
| | | 9.7 | 6 | 1 | 4.5 | 3.1 | 0.5 | TB07613 |
| | | 11.7 | 8 | 1 | 4.5 | 2.9 | 0.5 | TB07813 |
| | | 8.7 | 4 | 2 | 4.5 | 3.2 | 0.5 | TB07423 |
| | | 10.7 | 6 | 2 | 4.5 | 3.1 | 0.5 | TB07623 |
| | | 12.7 | 8 | 2 | 4.5 | 2.9 | 0.5 | TB07823 |
| | | 9.7 | 4 | 3 | 4.5 | 3.2 | 0.5 | TB07433 |
| | | 11.7 | 6 | 3 | 4.5 | 3.1 | 0.5 | TB07633 |
| | | 13.7 | 8 | 3 | 4.5 | 2.9 | 0.5 | TB07833 |
| | | 10.7 | 4 | 4 | 4.5 | 3.2 | 0.5 | TB07443 |
| | | 12.7 | 6 | 4 | 4.5 | 3.1 | 0.5 | TB07643 |
| | | 14.7 | 8 | 4 | 4.5 | 2.9 | 0.5 | TB07843 |


| | | L | RH | GH | D1 | D2 | W | Catalog |
|---|--|------|----|----|-----|-----|---|----------|
|  | Ti Base UniFit Abutment, Angular Wide | 7.7 | 4 | 1 | 5.5 | 3.2 | 1 | TB07413W |
| | | 9.7 | 6 | 1 | 5.5 | 3.1 | 1 | TB07613W |
| | | 11.7 | 8 | 1 | 5.5 | 2.9 | 1 | TB07813W |
| | | 8.7 | 4 | 2 | 5.5 | 3.2 | 1 | TB07423W |
| | | 10.7 | 6 | 2 | 5.5 | 3.1 | 1 | TB07623W |
| | | 12.7 | 8 | 2 | 5.5 | 2.9 | 1 | TB07823W |
| | | 9.7 | 4 | 3 | 5.5 | 3.2 | 1 | TB07433W |
| | | 11.7 | 6 | 3 | 5.5 | 3.1 | 1 | TB07633W |
| | | 13.7 | 8 | 3 | 5.5 | 2.9 | 1 | TB07833W |
| | | 10.7 | 4 | 4 | 5.5 | 3.2 | 1 | TB07443W |
| | | 12.7 | 6 | 4 | 5.5 | 3.1 | 1 | TB07643W |
| | | 14.7 | 8 | 4 | 5.5 | 2.9 | 1 | TB07843W |


C-Type Ti Base Abutments


Recommended Torque 35(Ncm)

For further product information and use please refer to IFU028



| | | L | RH | GH | D1 | D2 | W | Catalog |
|--|--|------|-----|----|-----|------|-----|---------|
|  | C-Type Ti Base UniFit Abutment, Engaged | 8.4 | 4.7 | 1 | 4.3 | 3.36 | 0.5 | TB07414 |
| | | 9.4 | 4.7 | 2 | 4.3 | 3.36 | 0.5 | TB07424 |
| | | 10.4 | 4.7 | 3 | 4.3 | 3.36 | 0.5 | TB07434 |
| | | 11.4 | 4.7 | 4 | 4.3 | 3.36 | 0.5 | TB07444 |

| | | L | RH | GH | D1 | D2 | W | Catalog |
|---|---|------|-----|----|-----|------|-----|----------|
|  | C-Type Ti Base UniFit Abutment, Engaged Wide | 8.4 | 4.7 | 1 | 4.3 | 3.36 | 0.5 | TB07414W |
| | | 9.4 | 4.7 | 2 | 4.3 | 3.36 | 0.5 | TB07424W |
| | | 10.4 | 4.7 | 3 | 4.3 | 3.36 | 0.5 | TB07434W |
| | | 11.4 | 4.7 | 4 | 4.3 | 3.36 | 0.5 | TB07444W |

| | | L | RH | GH | D1 | D2 | W | Catalog |
|--|--|----|-----|----|----|------|-----|---------|
|  | C-Type Ti Base UniFit Abutment, Non-Engaged | 8 | 4.7 | 1 | 6 | 3.36 | 1.3 | TB07415 |
| | | 9 | 4.7 | 2 | 6 | 3.36 | 1.3 | TB07425 |
| | | 10 | 4.7 | 3 | 6 | 3.36 | 1.3 | TB07435 |
| | | 11 | 4.7 | 4 | 6 | 3.36 | 1.3 | TB07445 |


| | | L | RH | GH | D1 | D2 | W | Catalog |
|---|---|----|-----|----|----|------|-----|----------|
|  | C-Type Ti Base UniFit Abutment, Non-Engaged Wide | 8 | 4.7 | 1 | 6 | 3.36 | 1.3 | TB07415W |
| | | 9 | 4.7 | 2 | 6 | 3.36 | 1.3 | TB07425W |
| | | 10 | 4.7 | 3 | 6 | 3.36 | 1.3 | TB07435W |
| | | 11 | 4.7 | 4 | 6 | 3.36 | 1.3 | TB07445W |

TMA™ - Multi Unit

Recommended Torque 35(Ncm)

Our TMA™ (Trans Mucosal Abutment) system is indicated for multiple-unit, screw-retained restorations, and may be used in combination with an implant-level framework design.

- Elevates restorative seating platform when implant-level restoration is not practical
- Provides better access when using implants with divergent angles
- Accommodates full and partial edentulous arches
- Available in straight or angled (17°, 30°, 45°) with different gingival heights
- Abutments are delivered with handles for easy insertion and seating



| | | L | H | GH | RH | Catalog |
|--|--|------|-----|-----|-----|---------|
| | UniFit Straight Trans Mucosal Abutment 1mm | 4.7 | 3.1 | 1.0 | 2.1 | UF0032 |
| | UniFit Straight Trans Mucosal Abutment 2mm | 5.7 | 4.1 | 2.0 | 2.1 | UF0033 |
| | UniFit Straight Trans Mucosal Abutment 3mm | 6.7 | 5.1 | 3.0 | 2.1 | UF0034 |
| | UniFit Straight Trans Mucosal Abutment 4mm | 7.7 | 6.1 | 4.0 | 2.1 | UF3729 |
| | UniFit Straight Trans Mucosal Abutment 5mm | 8.7 | 7.1 | 5.0 | 2.1 | UF3730 |
| | UniFit Angled Trans Mucosal Abutment 17° 2.5mm | 8.3 | 5.6 | 2.5 | 2.2 | UF3734 |
| | UniFit Angled Trans Mucosal Abutment 30° 3mm | 9.2 | 6.5 | 3.0 | 2.2 | UF3735 |
| | UniFit Angled Trans Mucosal Abutment 17° 3.5mm | 9.2 | 6.5 | 3.5 | 2.2 | UF3737 |
| | UniFit Angled Trans Mucosal Abutment 30° 4mm | 10.2 | 7.5 | 4.0 | 2.2 | UF3738 |
| | UniFit Angled Trans Mucosal Abutment 45° 4mm | 10.6 | 7.9 | 4.0 | 2.2 | UF3736 |

| | | L | D1 | D2 | Catalog |
|--|---------------------------------|------|-----|-----|---------|
| | TMA Impression Coping Open Tray | 11.0 | 4.9 | 3.1 | RS5006 |

| | | L | D1 | D2 | Catalog |
|--|--------------------------|-----|-----|-----|---------|
| | TMA Closed Tray Transfer | 8.0 | 4.9 | 4.0 | RS5011 |

| | | L | D1 | Catalog |
|--|---------------|-----|-----|---------|
| | TMA Scan Body | 6.0 | 4.9 | TM0006 |

| | | L | D1 | Catalog |
|--|---------------|-----|-----|---------|
| | TMA Scan Body | 9.0 | 4.9 | TM0009 |

| | | L | D1 | D2 | Catalog |
|--|-----------------|-----|-----|-----|---------|
| | TMA Healing Cup | 5.5 | 4.9 | 3.5 | RS5005 |

| | | L | D1 | Catalog |
|--|----------------------|------|------|---------|
| | TMA Abutment Replica | 16.8 | 3.35 | RS5004 |

| | | L | D1 | D2 | Catalog |
|--|---|------|-----|-----|---------|
| | TMA Digital Model Replica Recommended torque 15(Ncm) | 12.0 | 4.9 | 3.8 | RS1001 |

TMA Screw | For Scan Body & Cementing Cone

| | | Catalog |
|--|---------------------|---------|
| | TMA Scan Body Screw | TM0001 |

TMA Screw | Temporary Cylinder & TMA Direct Option

| | | Catalog |
|--|----------------------|---------|
| | TMA Prosthetic Screw | RS3404 |

TMA Prosthetics

| | | L | D1 | D2 | H | Catalog |
|--|------------------------|------|-----|-----|------|---------|
| | TMA Titanium Temporary | 12.0 | 4.9 | 3.5 | 10.5 | RS4900 |

| | | L | D1 | D2 | H | Catalog |
|--|---|------|-----|-----|------|---------|
| | TMA Plastic Casting Sleeve w/Prosthetic Screw | 12.0 | 4.9 | 3.3 | 10.5 | RS5001 |

| | | L | D1 | D2 | Catalog |
|--|--------------------|-----|-----|-----|---------|
| | TMA Cementing Cone | 4.9 | 4.9 | 2.9 | TM0010 |

| | | L | D1 | D2 | Catalog |
|--|---------------------------------|-----|-----|-----|---------|
| | TMA Cementing Cone, low profile | 4.9 | 5.5 | 3.2 | TM0011 |



Tool Drivers | For Angled TMA/TMA Prosthetic Screws

| | | L | Catalog |
|--|------------------------|------|---------|
| | Star Hand Driver Short | 23.4 | RP0064 |

| | | L | Catalog |
|--|-----------------------|------|---------|
| | Star Hand Driver Long | 28.4 | RP0004 |

Overdenture Restoration

Recommended Torque 35(Ncm)



| | | L | D1 | D2 | H | GH | RH | Catalog |
|--|------------------------------|------|-----|-----|-----|-----|-----|---------|
| | UniFit Ball Attachment 0.5mm | 9.1 | 3.1 | 2.5 | 4.1 | 0.6 | 3.5 | UF0051 |
| | UniFit Ball Attachment 1mm | 9.5 | 3.1 | 2.5 | 4.5 | 1.0 | 3.5 | UF0052 |
| | UniFit Ball Attachment 2mm | 10.5 | 3.1 | 2.5 | 5.5 | 2.0 | 3.5 | UF0053 |
| | UniFit Ball Attachment 3mm | 11.5 | 3.1 | 2.5 | 6.5 | 3.0 | 3.5 | UF0054 |
| | UniFit Ball Attachment 4mm | 12.5 | 3.1 | 2.5 | 7.5 | 4.0 | 3.5 | UF0055 |
| | UniFit Ball Attachment 5mm | 13.5 | 3.1 | 2.5 | 8.5 | 5.0 | 3.5 | UF0056 |

| | | L | Ø | Catalog |
|--|-------------------------|------|-----|---------|
| | Ball Attachment Replica | 16.6 | 4.0 | RS5740 |

| | | Catalog |
|--|-----------------------------------|---------|
| | Torque Driver for Ball Attachment | RS6090 |

| | | L | Ø | D2 | Catalog |
|--|--------------------------------|-----|-----|-----|---------|
| | Plastic Ball Cap White (Nylon) | 2.6 | 4.1 | 3.6 | RS2660 |


| | | L | Ø | D2 | Catalog |
|--|------------------------------------|-----|-----|-----|---------|
| | Plastic Ball Cap Pink Soft (Nylon) | 2.6 | 4.1 | 3.6 | RS2662 |

| | | L | Ø | D2 | Catalog |
|--|-------------------|-----|-----|-----|---------|
| | Titanium Ball Cap | 2.9 | 4.7 | 4.7 | RS2670 |

Screws

Recommended Torque 35(Ncm)



| | | L | D1 | Catalog |
|---|--|-----|------|---------|
|  | UniFit Abutment Screw M1.6 | 7.2 | 2.2 | UF0001 |
| | UniFit Retaining Screw for Angled TMA | 7.6 | 1.95 | UF3403 |
|  | UniFit Retaining Screw for TMA 1mm | 8 | 3.1 | UF0039 |
| | UniFit Retaining Screw for TMA 2mm | 9 | 3.1 | UF0040 |
| | UniFit Retaining Screw for TMA 3mm | 10 | 3.1 | UF0041 |
|  | UniFit Retaining Screw for TMA 4mm | 11 | 3.1 | UF3409 |
| | UniFit Retaining Screw for TMA 5mm | 12 | 3.1 | UF3412 |
|  | UniFit Open Tray Transfer Screw Short | 24 | 3.1 | UF5010 |
| | UniFit Open Tray Transfer Screw Long | 28 | 3.1 | UF5014 |
|  | UniFit Close Tray Transfer Screw Short | 16 | 2.8 | UF5126 |
| | UniFit Close Tray Transfer Screw Long | 20 | 2.8 | UF5127 |

Surgical Kits


































Successful surgical procedures start with having the right instruments and tools to ensure your desired treatment outcomes are met.

That's why our range has everything you need, including drills, keys, ratchets, and insertion tools.

Not only do they make procedures safer and easier, they result in an enhanced patient experience.

Our surgical kits streamline and simplify your implant procedures.



| Drills | | | Premium Kit | Advanced Kit |
|---|--------|---|-------------|--------------|
|  | RS8032 | Tip Drill | V | V |
|  | TD2218 | Three Step Drill-Long | V | V |
|  | DL1820 | Pilot Drill 2mmD x 8-18mmL | V | V |
|  | DL1828 | Twist Step Drill 2.3/2.8mmD x 8-18mmL | V | V |
|  | DL1832 | Twist Step Drill 2.8/3.2mmD x 8-18mmL | V | V |
|  | DL1836 | Twist Step Drill 3.2/3.6mmD x 8-18mmL | V | V |
|  | DL1842 | Twist Step Drill 3.6/4.2mmD x 8-18mmL | V | V |
|  | DL1846 | Twist Step Drill 4.2/4.6mmD x 8-18mmL | V | V |
|  | DL1852 | Twist Step Drill 4.6/5.2mmD x 8-18mmL | V | V |
|  | DL1856 | Twist Step Drill 5.2/5.6mmD x 8-18mmL | V | V |
|  | TD1511 | Three Step Drill Short | V | |
|  | DL1320 | Pilot Drill 2mmD x 6-13mmL | V | |
|  | DL1328 | Twist Step Drill 2.3/2.8mmD x 6-13mmL | V | |
|  | DL1332 | Twist Step Drill 2.8/3.2mmD x 6-13mmL | V | |
|  | DL1336 | Twist Step Drill 3.2/3.6mmD x 6-13mmL | V | |
|  | DL1342 | Twist Step Drill 3.6/4.2mmD x 6-13mmL | V | |
|  | DL1346 | Twist Step Drill 4.2/4.6mmD x 6-13mmL | V | |
|  | DL1352 | Twist Step Drill 4.6/5.2mmD x 6-13mmL | V | |
|  | DL1356 | Twist Step Drill 5.2/5.6mmD x 6-13mmL | V | |
| Parallel Pins | | | | |
|  | RS6150 | Parallel Pin Short 11 (qty.4) | V | V |
|  | RS6155 | Parallel Pin Long 16 (qty.2) | V | V |
| Insertion Tools | | | | |
|  | UF0068 | UniFit Star Handpiece Adapter - Short | V | V |
|  | UF0071 | UniFit Star Handpiece Adapter - Medium | V | V |
|  | UF0074 | UniFit Star Handpiece Adapter - Long | V | V |
| Drivers | | | | |
|  | UF0067 | UniFit Star Torque Driver - Short | V | V |
|  | UF0066 | UniFit Star Torque Driver - Long | V | V |
|  | RP0064 | Star Hand Driver - Short | V | V |
|  | RP0004 | Star Hand Driver - Long | V | V |
| Surgical Tools | | | | |
|  | RS6111 | Surgical Torque Ratchet 35-100 Ncm | V | V |
|  | RA0050 | Wrench Ratchet Surgical Instruments Handle | V | V |
|  | RS6180 | Depth Probe | V | V |
| Accessories | | | | |
|  | UF3401 | UniFit Ratchet Retrieval tool for abutments | V | V |
|  | RS9027 | Drill Extension | V | V |

UniFit Standard Internal Star Surgical Kit-Premium UF6301



| Drills | Catalog |
|---------------------------------------|---------|
| Tip Drill | RS8032 |
| Three Step Drill-Long | TD2218 |
| Pilot Drill 2mmD x 8-18mmL | DL1820 |
| Twist Step Drill 2.3/2.8mmD x 8-18mmL | DL1828 |
| Twist Step Drill 2.8/3.2mmD x 8-18mmL | DL1832 |
| Twist Step Drill 3.2/3.6mmD x 8-18mmL | DL1836 |
| Twist Step Drill 3.6/4.2mmD x 8-18mmL | DL1842 |
| Twist Step Drill 4.2/4.6mmD x 8-18mmL | DL1846 |
| Twist Step Drill 4.6/5.2mmD x 8-18mmL | DL1852 |
| Twist Step Drill 5.2/5.6mmD x 8-18mmL | DL1856 |
| Three Step Drill-Short | TD1511 |
| Pilot Drill 2mmD x 6-13mmL | DL1320 |
| Twist Step Drill 2.3/2.8mmD x 6-13mmL | DL1328 |
| Twist Step Drill 2.8/3.2mmD x 6-13mmL | DL1332 |
| Twist Step Drill 3.2/3.6mmD x 6-13mmL | DL1336 |
| Twist Step Drill 3.6/4.2mmD x 6-13mmL | DL1342 |
| Twist Step Drill 4.2/4.6mmD x 6-13mmL | DL1346 |
| Twist Step Drill 4.6/5.2mmD x 6-13mmL | DL1352 |
| Twist Step Drill 5.2/5.6mmD x 6-13mmL | DL1356 |

| Surgical Tools | Catalog |
|--|---------|
| Wrench Ratchet Surgical Instruments Handle | RA0050 |
| Surgical Torque Ratchet 35-100 Ncm | RS6111 |
| Depth Probe | RS6180 |

| Parallel Pin | Catalog |
|----------------------------------|---------|
| Parallel Pin Short 11mm (qty. 4) | RS6150 |
| Parallel Pin Long 16mm (qty. 2) | RS6155 |

| Insertion Tools | Catalog |
|--|---------|
| UniFit Star Handpiece Adapter - Short | UF0068 |
| UniFit Star Handpiece Adapter - Medium | UF0071 |
| UniFit Star Handpiece Adapter - Long | UF0074 |

| Drivers | Catalog |
|-----------------------------------|---------|
| Star Hand Driver - Short | RP0064 |
| Star Hand Driver - Long | RP0004 |
| UniFit Star Torque Driver - Short | UF0067 |
| UniFit Star Torque Driver - Long | UF0066 |

| Drill Extension | Catalog |
|---|---------|
| Drill Extension | RS9027 |
| UniFit Ratchet Retrieval Tool For Abutments | UF3401 |

*Products may be ordered separately as an addition to the kit

UniFit Standard Internal Star Surgical Kit-Advanced UF6322



| Drills | Catalog |
|---------------------------------------|---------|
| Tip Drill | RS8032 |
| Three Step Drill-Long | TD2218 |
| Pilot Drill 2mmD x 8-18mmL | DL1820 |
| Twist Step Drill 2.3/2.8mmD x 8-18mmL | DL1828 |
| Twist Step Drill 2.8/3.2mmD x 8-18mmL | DL1832 |
| Twist Step Drill 3.2/3.6mmD x 8-18mmL | DL1836 |
| Twist Step Drill 3.6/4.2mmD x 8-18mmL | DL1842 |
| Twist Step Drill 4.2/4.6mmD x 8-18mmL | DL1846 |
| Twist Step Drill 4.6/5.2mmD x 8-18mmL | DL1852 |
| Twist Step Drill 5.2/5.6mmD x 8-18mmL | DL1856 |

| Surgical Tools | Catalog |
|--|---------|
| Wrench Ratchet Surgical Instruments Handle | RA0050 |
| Surgical Torque Ratchet 35-100 Ncm | RS6111 |
| Depth Probe | RS6180 |

| Paraller Pin | Catalog |
|----------------------------------|---------|
| Parallel Pin Short 11mm (qty. 4) | RS6150 |
| Parallel Pin Long 16mm (qty. 2) | RS6155 |

| Inserion Tools | Catalog |
|--|---------|
| UniFit Star Handpiece Adapter - Short | UF0068 |
| UniFit Star Handpiece Adapter - Medium | UF0071 |
| UniFit Star Handpiece Adapter - Long | UF0074 |

| Drivers | Catalog |
|-----------------------------------|---------|
| Star Hand Driver - Short | RP0064 |
| Star Hand Driver - Long | RP0004 |
| UniFit Star Torque Driver - Short | UF0067 |
| UniFit Star Torque Driver - Long | UF0066 |

| Drill Extension | Catalog |
|---|---------|
| Drill Extension | RS9027 |
| UniFit Ratchet Retrieval tool for abutments | UF3401 |


*Products may be ordered separately as an addition to the kit

Drills & Tools

Our DLC (Diamond-like Carbon) Tri-Step/Twist Step Surgical Drills are designed for a simpler, faster, and safer surgical drilling experience.

Here are the benefits:

- Simplify the cutting process, save time, and minimize risks with our Tri-Step & Twist-Step DLC drills.
- Improved DLC drill coating provides state-of-the-art hardness and slickness, increasing the lifespan of the drill, maintaining sharpness for extended drilling, and generating less heat. This reduces the chances of heating the bone or complications arising from conventional drilling protocols.
- Available in diameters ranging from 2.0 mm to 5.6 mm.
- Specially designed for Adin's implants and suitable for Adin's simple and convenient drilling protocol.
- Clearly and conveniently marked and can be used with or without drill stops.







Tri-Step Drills











Adin's Tri-Step Drills condense drilling protocols and avoid the need for multiple drills throughout complex procedures.

Since friction at the cutting site is reduced, complications common with high-speed drilling are decreased and faster & better recovery can occur.

The drills are designed to reduce friction at the cutting site, therefore leading to a decrease in complications that are often associated with high-speed drilling. This can result in a faster and more efficient recovery for patients.






| | L | Ø | Size | Catalog |
|---|---|---------|-------|---------|
|  |  | 1.8-3.2 | short | TD1511 |
|  |  | 1.8-3.2 | long | TD2218 |

Twist Step Drills


| | L | Ø | Color | Catalog |
|---|---|---------|--------|---------|
|  |  | 2.0 | white | DL1320 |
|  | | 1.8-2.5 | purple | DL1325 |
|  | | 2.3-2.8 | red | DL1328 |
|  | | 2.8-3.2 | blue | DL1332 |
|  | | 3.2-3.6 | green | DL1336 |
|  | | 3.8-4.2 | black | DL1342 |
|  | | 4.2-4.6 | yellow | DL1346 |
|  | | 4.8-5.2 | brown | DL1352 |
|  | | 5.2-5.6 | grey | DL1356 |


| | L | Ø | Color | Catalog |
|---|--|---------|--------|---------|
|  | <p>long</p>  <p>18.0 16.0 15.0 13.0 11.5 10.0 8.0 3.0 0</p> <p>8-18mm</p> | 2.0 | white | DL1820 |
|  | | 1.8-2.5 | purple | DL1825 |
|  | | 2.3-2.8 | red | DL1828 |
|  | | 2.8-3.2 | blue | DL1832 |
|  | | 3.2-3.6 | green | DL1836 |
|  | | 3.8-4.2 | black | DL1842 |
|  | | 4.2-4.6 | yellow | DL1846 |
|  | | 4.8-5.2 | brown | DL1852 |
|  | | 5.2-5.6 | grey | DL1856 |


Tools


| | Catalog |
|---|--|
|  | Surgical Torque Ratchet 35-100 Ncm RS6111 |
|  | Prosthetic Torque Ratchet 15-35 Ncm RS6112 |
|  | Wrench Ratchet RS6100 |
|  | Surgical Driver RS7001 |
|  | Depth Probe RS6180 |


Torque Drivers


| | | L | Catalog |
|---|---------------------------------|------|---------|
|  | UniFit Star Torque Driver Short | 24.2 | UF0067 |


| | | L | Catalog |
|---|--------------------------------|------|---------|
|  | UniFit Star Torque Driver Long | 29.2 | UF0066 |


| For angled TMA/TMA prosthetic screws | | L | Catalog |
|---|--------------------------|------|---------|
|  | Star Torque Driver Short | 20.4 | RP0065 |

| For angled TMA/TMA prosthetic screws | | L | Catalog |
|---|---------------------------|------|---------|
|  | Star Torque Driver - Long | 25.4 | RP0005 |

| For straight TMA | | L | Catalog |
|---|----------------------------------|------|---------|
|  | TMA/FC Hex Torque Driver - Short | 20.0 | RS6197 |

| For straight TMA | | L | Catalog |
|---|------------------------------|------|---------|
|  | TMA/FC HexTorque Driver Long | 25.0 | RS6196 |


| | | L | Catalog |
|---|-----------------------------------|------|---------|
|  | Torque Driver for Ball Attachment | 14.4 | RS6090 |

| | | L | Catalog |
|---|--|----|---------|
|  | Wrench Ratchet Surgical Instruments Handle | 17 | RA0050 |


Handpiece Adapters


| | | L | Catalog |
|---|---------------------------------------|------|---------|
|  | UniFit Star Handpiece Adapter - Short | 25.0 | UF0068 |

| | | L | Catalog |
|---|--|------|---------|
|  | UniFit Star Handpiece Adapter - Medium | 27.6 | UF0071 |

| | | L | Catalog |
|---|--------------------------------------|------|---------|
|  | UniFit Star Handpiece Adapter - Long | 35.9 | UF0074 |

Handpiece Adapters

| For angled TMA/TMA prosthetic screws | | L | Catalog |
|---|-------------------------------|------|---------|
|  | Star Handpiece Driver - Short | 25.0 | RP0018 |

| For angled TMA/TMA prosthetic screws | | L | Catalog |
|---|------------------------------|------|---------|
|  | Star Handpiece Driver - Long | 30.0 | RP0019 |


| For straight TMA | | L | Catalog |
|---|--------------------------------------|------|---------|
|  | TMA/FC Hex Handpiece Adapter - Short | 20.0 | RS6194 |


| For straight TMA | | L | Catalog |
|---|-------------------------------------|------|---------|
|  | TMA/FC Hex Handpiece Adapter - Long | 25.0 | RS6195A |

Hand Drivers


| For angled TMA/TMA prosthetic screws | | L | Catalog |
|---|--------------------------------------|------|---------|
|  | TMA/FC Hex Handpiece Adapter - Short | 23.4 | RP0064 |

| For angled TMA/TMA prosthetic screws | | L | Catalog |
|---|-------------------------------------|------|---------|
|  | TMA/FC Hex Handpiece Adapter - Long | 28.4 | RP0004 |

| For straight TMA | | L | Catalog |
|---|---------------------------------------|------|---------|
|  | TMA/FC Female Hand Hex Driver - Short | 22.4 | RS6193 |

| For straight TMA | | L | Catalog |
|---|------------------------------------|------|---------|
|  | TMA/FC Female Hand Hex Driver Long | 28.4 | RS6191 |

Retrieval Tool

| | | L | Catalog |
|---|---|----|---------|
|  | UniFit Ratchet Retrieval Tool for Abutments | 32 | UF3401 |



Guided Surgery

Introducing the adinguide™: a guided surgery tool designed to enhance your clinic.

Our kits are tailored to support effortless and precise implant placement. With our proprietary ActiveFlow™ Irrigation technology, where coolant is efficiently delivered to the bone, preventing overheating.

The adinguide™ drills feature carved channels for direct coolant flow from your hand-piece to the osteotomy site. Our intuitive drill kit accommodates different implant sizes and lengths, while the tissue punch and pilot drill allow flapless access.

The keyless procedure offers easy handling and clear visibility of the surgical site.

Our self-centering drills utilize a diameter cylinder at the top to ensure accurate positioning within the guide's sleeve. Additionally, built-in stoppers guarantee precise and consistent drilling depths.



Guided Surgery Kit

Implants Drills | GSK001



For fully guided procedures:




Unified Conical
Implant Platform



GS Tools
Kit UniFit
GSK005



5.5mmD Sleeve
GS0055



GS5055 Tissue Punch 5.0mmD, S-5.5



GS0825 Drill S-5.5, 2.5/1.8mmDx8.0mmL



GS1325 Drill S-5.5, 2.5/1.8mmDx13.0mmL



GS0625 Pilot Drill S-5.5, 2.5/1.8mmDx6.0mmL




GS1025 Drill S-5.5, 2.5/1.8mmDx10.0mmL



GS1625 Drill S-5.5, 2.5/1.8mmDx16.0mmL



GS1125 Drill S-5.5, 2.5/1.8mmDx11.5mmL



GS0632 Drill S-5.5, 3.2/2.5mmDx6.25mmL



GS0638 Drill S-5.5, 3.85/3.2mmDx6.25mmL



GS0646 Drill S-5.5, 4.6/3.85mmDx6.25mmL



GS0832 Drill S-5.5, 3.2/2.5mmDx8.0mmL



GS0838 Drill S-5.5, 3.85/3.2mmDx8.0mmL



GS0846 Drill S-5.5, 4.6/3.85mmDx8.0mmL



GS1032 Drill S-5.5, 3.2/2.5mmDx10.0mmL



GS1038 Drill S-5.5, 3.85/3.2mmDx10.0mmL



GS1046 Drill S-5.5, 4.6/3.85mmDx10.0mmL



GS1132 Drill S-5.5, 3.2/2.5mmDx11.5mmL



GS1138 Drill S-5.5, 3.85/3.2mmDx11.5mmL



GS1146 Drill S-5.5, 4.6/3.85mmDx11.5mmL



GS1332 Drill S-5.5, 3.2/2.5mmDx13.0mmL



GS1338 Drill S-5.5, 3.85/3.2mmDx13.0mmL



GS1346 Drill S-5.5, 4.6/3.85mmDx13.0mmL



GS1632 Drill S-5.5, 3.2/2.5mmDx16.0mmL



GS1638 Drill S-5.5, 3.85/3.2mmDx16.0mmL



GS1646 Drill S-5.5, 4.6/3.85mmDx16.0mmL

Guided Surgery Tools Kit UniFit Implants | GSK005



For fully guided procedures:




Unified Conical
Implant Platform



GS Drills Kit
GSK001



5.5mmD Sleeve
GS0055

1

GS1915 

Anchoring Drill S-2.0, 2.0/1.5mmDx19mmL

2

GS1917 

Anchoring Drill S-2.0, 2.0/1.7mmDx19mmL

3

GS0028 

Handpiece Guide Fixation Screw Driver

4

GS5041 

Guided UniFit Handpiece Fixture Mount S-5.5

5


GS5043 

Guided UniFit Ratchet Fixture Mount S-5.5

6

GS5037 

Guided UniFit Ratchet Fixture Mount S-5.5, Screw Retained (qty.4)



7

GS0023 

Manual Socket L10.5

9

GS0021 

Handpiece Socket L10.5

11

RP0004 

Star Hand Driver - Long

8

GS0024 

Manual Socket L14.5

10

GS0022 

Handpiece Socket L14.5

12

GS5046 

UniFit Ratchet Retrieval Tool

13

GS0027 

Guide Fixation Screw Driver (Surgical Driver)





14

GS6111 





Surgical Torque Ratchet 35-100 Ncm for hex 4mm

Components

Accessories

| | | | Catalog |
|---|--------------------------------------|-----------|-----------|
|  | Guided Vertical Fixation Screw S-5.5 | x 3 pack | GS0007 |
|  | 2.0mmD Anchoring Screw | x 3 pack | GS1920 |
|  | 5.5mmD Sleeve | x 1 pack | GS0055 |
| | | x 3 pack | GS0055x3 |
| | | x 10 pack | GS0055x10 |
|  | 2.0mmD Anchoring Sleeve | x 3 pack | GS0020 |

18mm Drills

| | | | |
|---|---|---------|--------|
|  | Drill S-5.5, 2.5/1.8mm Dx18.0mmL | Catalog | GS1825 |
|  | Drill S-5.5, 3.2/2.5mmD x18.0mmL | Catalog | GS1832 |
|  | Drill S-5.5, 3.85/3.2mmD x18.0mmL | Catalog | GS1838 |
|  | Drill S-5.5, 4.6/3.85mmD x18.0mmL | Catalog | GS1846 |

